International Journal of Paediatric Dentistry 1995; **5**: 284–286

Author and subject index

Anaemia and haemoglobinopathy, clinically significant, the prevalence of, in children requiring dental treatment under general anaesthesia: a retrospective study of 1000 patients, see Mason, 163
Anaemia, iron-deficiency, in young children requiring dental extractions under general anaesthesia, see Rodd, 9
Affan, A.A., *see* Ibraham, Y.E.
Aguilera, F.S., *see* Toledano, M.
Albertos, J.M., *see* Junquera, L.M.
Al-Ismaily, M., Scully, C. Oral myiasis: report of two cases, 177
Anxious child dental patients, an evaluation of four methods of assessing the behaviour of, see Hosey, 87
Aspiration, high-volume, as a supplemental scavenging method for reducing ambient nitrous oxide levels in the operatory: a laboratory study, see Henry, 157

Baird, A.D.E., Pavey, M.J. A plastic screw-cover embedded in the hard palate of an infant aged 13 months, 113
Bedi, R., *see* Nathavitharana, K.A.
Beiruti, N., Tayfour D., Boles, W., Poulsen, S. Oral-health-related knowledge and behaviour in a group of 15-year-old school-children from Damascus, Syria, 187
Bernard, J.-P., *see* Schatz, J.-P.
Bilateral double teeth, combined surgical and orthodontic treatment of: a case report, see Pearson, 43
Birkhed, D., *see* Hallonsten, A.L.
Bjorvatn, K., *see* Ibraham, Y.E.
Blankenstein, R., *see* Rodd, H.D.
Blinkhorn, A.S., *see* Hosey, M.T.
Boles, W., *see* Beiruti, N.
Borganelli, G.N., *see* Henry, R.J.
Boyd, D.H., Gregg, T.A. Candida infection of a persistent palatal ulcer in a 20-month-old child, 109
Breast-feeding, prolonged, and dental caries in 18-month-old Swedish children, see Hallonsten, 149
British Society of Paediatric Dentistry: A Policy Document on Toothfriendly Sweets, 195
Byloff, F.K., *see* Schatz, J.-P.

Calvo, N., *see* Junquera, L.M.
Candida infection of a persistent palatal ulcer in a 20-month-old child, see Boyd, 109
Caries, dental, between-meal eating and toothbrushing in 4-year-old children in the north of Sweden, see Stecksén-Blicks, 67
Carr, C., *see* Mason, C.
Crown and root resorption of a maxillary permanent first molar by an impacted second premolar: a case report, see Waterhouse, 259
Curzon, M.E.J., *see* El Magboul, K.M.A.; *see also* Marathaki, E.
Cystic fibrosis, evaluation of contamination of the dentist and dental surgery environment with Burkholderia (Pseudomonas) cepacia *during treatment of children with, see* Pankhurst, 243

Dens invaginatus: an avoidable complication, see Evans, 263
Dental anxiety, children's: influence of personality and intelligence factors, see Toledano, 23
Dentifrices, two, containing 250 ppm and 1450 ppm fluoride, a comparison of the anticaries effect on the primary dentition, see Sønju Clasen, 3
Dentition analysis, mixed: a review of methods and their accuracy, see Irwin, 137
Dento-alveolar traumatology, development of a computer-assisted multimedia textbook of, see Schatz, 264
Drucker, D.B., Primrose, S.M., Hobson, P., Worth-ington, H.V. Salivary microflora and caries experience in 5-year-old children from two ethnic groups, 15

Edwardsen, S., *see* Hallonsten, A.L.
El Magboul, K.M.A., O'Sullivan, E.A., Curzon, M.E.J. A clinical trial comparing two doses of oral temazepam for sedation of paediatric dental patients, 97
Evans, D.J., Reid, J.S. Dens invaginatus: an avoidable complication, 263

Fibroma, ameloblastic: report of two cases, see Junquera, 181
Finger, W.J., *see* Malferrari, S.
Floriano, P., *see* Junquera, L.M.
Fluorosis, dental, in Sudanese children from two villages with 0.25 and 2.56 ppm fluoride in the drinking water, prevalance of, see Ibraham, 223

Garcia-Godoy, F., *see* Malferrari, S.
Gelbier, M.J., Winter, G.B. Absence of salivary glands in children with rampant dental caries: report of seven cases, 253
Gelbier, S. History of the International Association of Paediatric Dentistry. Part 2: Early events in the USA – the American Society of Dentistry for Children, 55
Part 3: Samuel D. Harris and some early pressures for international developments, 123
Part 4: The Pan-American Council of Dentistry for Children (Consejo Panamericano de Odontologia Infantil), 199
Part 5: The British Paedodontic Society and developments in the UK, 273
Gerrish, A.C., *see* Jones, C.M.
Giant cell granuloma, central, conservative surgical and orthodontic management of a child with, see Schatz, 35
Gingival overgrowth in paediatric cardiac transplant patients: a study of 19 patients aged between 2 and 16 years, see Lowry, 217
Gluma 2000, resin bonding efficacy of, to dentine of primary teeth: an in vitro *study, see* Malferrari, 73
Gordon, G., *see* Hosey, M.T.
Gregg, T.A., *see* Boyd, D.H.

Hákansson, C., *see* Hallonsten, A.L.
Hallonsten, A.L., Wendt, L.-K., Mejàre, I., Birkhed, D., Hákansson, C., Lindvall, A.-M., Edwardson, S., Koch, G. Dental caries and prolonged breast-feeding in 18-month-old Swedish children, 149
Hamdan, M.A., Rock, W.P. A study comparing the prevalence and distribution of traumatic dental injuries among 10–12-year-old children in an urban and in a rural area of Jordan, 237
Hamilton, J.R.L., *see* Lowry, L.Y.
Harrison, V.E., *see* Pankhurst, C.L.

© 1995 BSPD and IAPD

International Journal of Paediatric Dentistry 1995; **5**: 284–286

Author and subject index

Anaemia and haemoglobinopathy, clinically significant, the prevalence of, in children requiring dental treatment under general anaesthesia: a retrospective study of 1000 patients, see Mason, 163
Anaemia, iron-deficiency, in young children requiring dental extractions under general anaesthesia, see Rodd, 9
Affan, A.A., *see* Ibraham, Y.E.
Aguilera, F.S., *see* Toledano, M.
Albertos, J.M., *see* Junquera, L.M.
Al-Ismaily, M., Scully, C. Oral myiasis: report of two cases, 177
Anxious child dental patients, an evaluation of four methods of assessing the behaviour of, see Hosey, 87
Aspiration, high-volume, as a supplemental scavenging method for reducing ambient nitrous oxide levels in the operatory: a laboratory study, see Henry, 157

Baird, A.D.E., Pavey, M.J. A plastic screw-cover embedded in the hard palate of an infant aged 13 months, 113
Bedi, R., *see* Nathavitharana, K.A.
Beiruti, N., Tayfour D., Boles, W., Poulsen, S. Oral-health-related knowledge and behaviour in a group of 15-year-old school-children from Damascus, Syria, 187
Bernard, J.-P., *see* Schatz, J.-P.
Bilateral double teeth, combined surgical and orthodontic treatment of: a case report, see Pearson, 43
Birkhed, D., *see* Hallonsten, A.L.
Bjorvatn, K., *see* Ibraham, Y.E.
Blankenstein, R., *see* Rodd, H.D.
Blinkhorn, A.S., *see* Hosey, M.T.
Boles, W., *see* Beiruti, N.
Borganelli, G.N., *see* Henry, R.J.
Boyd, D.H., Gregg, T.A. Candida infection of a persistent palatal ulcer in a 20-month-old child, 109
Breast-feeding, prolonged, and dental caries in 18-month-old Swedish children, see Hallonsten, 149
British Society of Paediatric Dentistry: A Policy Document on Toothfriendly Sweets, 195
Byloff, F.K., *see* Schatz, J.-P.

Calvo, N., *see* Junquera, L.M.
Candida infection of a persistent palatal ulcer in a 20-month-old child, see Boyd, 109
Caries, dental, between-meal eating and toothbrushing in 4-year-old children in the north of Sweden, see Stecksén-Blicks, 67
Carr, C., *see* Mason, C.
Crown and root resorption of a maxillary permanent first molar by an impacted second premolar: a case report, see Waterhouse, 259
Curzon, M.E.J., *see* El Magboul, K.M.A.; *see also* Marathaki, E.
Cystic fibrosis, evaluation of contamination of the dentist and dental surgery environment with Burkholderia (Pseudomonas) cepacia *during treatment of children with, see* Pankhurst, 243

Dens invaginatus: an avoidable complication, see Evans, 263
Dental anxiety, children's: influence of personality and intelligence factors, see Toledano, 23
Dentifrices, two, containing 250 ppm and 1450 ppm fluoride, a comparison of the anticaries effect on the primary dentition, see Sønju Clasen, 3
Dentition analysis, mixed: a review of methods and their accuracy, see Irwin, 137
Dento-alveolar traumatology, development of a computer-assisted multimedia textbook of, see Schatz, 264
Drucker, D.B., Primrose, S.M., Hobson, P., Worth-ington, H.V. Salivary microflora and caries experience in 5-year-old children from two ethnic groups, 15

Edwardsen, S., *see* Hallonsten, A.L.
El Magboul, K.M.A., O'Sullivan, E.A., Curzon, M.E.J. A clinical trial comparing two doses of oral temazepam for sedation of paediatric dental patients, 97
Evans, D.J., Reid, J.S. Dens invaginatus: an avoidable complication, 263

Fibroma, ameloblastic: report of two cases, see Junquera, 181
Finger, W.J., *see* Malferrari, S.
Floriano, P., *see* Junquera, L.M.
Fluorosis, dental, in Sudanese children from two villages with 0.25 and 2.56 ppm fluoride in the drinking water, prevalance of, see Ibraham, 223

Garcia-Godoy, F., *see* Malferrari, S.
Gelbier, M.J., Winter, G.B. Absence of salivary glands in children with rampant dental caries: report of seven cases, 253
Gelbier, S. History of the International Association of Paediatric Dentistry. Part 2: Early events in the USA – the American Society of Dentistry for Children, 55
Part 3: Samuel D. Harris and some early pressures for international developments, 123
Part 4: The Pan-American Council of Dentistry for Children (Consejo Panamericano de Odontologia Infantil), 199
Part 5: The British Paedodontic Society and developments in the UK, 273
Gerrish, A.C., *see* Jones, C.M.
Giant cell granuloma, central, conservative surgical and orthodontic management of a child with, see Schatz, 35
Gingival overgrowth in paediatric cardiac transplant patients: a study of 19 patients aged between 2 and 16 years, see Lowry, 217
Gluma 2000, resin bonding efficacy of, to dentine of primary teeth: an in vitro *study, see* Malferrari, 73
Gordon, G., *see* Hosey, M.T.
Gregg, T.A., *see* Boyd, D.H.

Hákansson, C., *see* Hallonsten, A.L.
Hallonsten, A.L., Wendt, L.-K., Mejàre, I., Birkhed, D., Hákansson, C., Lindvall, A.-M., Edwardson, S., Koch, G. Dental caries and prolonged breast-feeding in 18-month-old Swedish children, 149
Hamdan, M.A., Rock, W.P. A study comparing the prevalence and distribution of traumatic dental injuries among 10–12-year-old children in an urban and in a rural area of Jordan, 237
Hamilton, J.R.L., *see* Lowry, L.Y.
Harrison, V.E., *see* Pankhurst, C.L.

© 1995 BSPD and IAPD

Heidemann, J., *see* Jones, C.M.
Henry, R.J., Borganelli, G.N. High-volume aspiration as a supplemental method for reducing ambient nitrous oxide levels in the operatory: a laboratory study, 157
Herold, J.S., *see* Irwin, R.D.
Hobson, P., *see* Drucker, D.B.
Holm, A.-K., *see* Stecksén-Blicks, C.
Hosey, M.T., Blinkhorn, A.S. An evaluation of four methods of assessing the behaviour of anxious child dental patients, 87
Hosey, M.T., Gordon, G., Kelly, D.A., Shaw, L. Oral findings in children with liver transplants, 29

Ibraham, Y.E., Affan, A.A., Bjorvatn, K. Prevalence of dental fluorosis in Sudanese children from two villages with 0.25 and 2.56 ppm fluoride in the drinking water, 223
Injection, dental, and treatment pain, children's ratings of, and the influence of the time taken to administer the injection, see Jones, 81
International Association of Paediatric Dentistry, history of. Part 2: Early events in the USA – the American Society of Dentistry for Children, see Gelbier, 55
Part 3: Samuel D. Harris and some early pressures for international developments, see Gelbier, 123
Part 4: The Pan-American Council of Dentistry for Children (Consejo Panamericano de Odontologia Infantil), see Gelbier, 199
Part 5: The British Paedodontic Society and developments in the UK, see Gelbier, 273
Irwin, R.D., Herold, J.S., Richardson, A. Mixed dentition analysis: a review of methods and their accuracy, 137

Joho, J.P., *see* Schatz, J.P.
Jones, C.M., Heidmann, J., Gerrish, A.C. Children's ratings of dental injection and treatment pain, and the influence of the time taken to administer the injection, 81
Junquera, L.M., Albertos, J.M., Floriano, P., Calvo, N., Santos, J. Ameloblastic fibroma: report of two cases, 181

Kelly, D.A., *see* Hosey, M.T.
Koch, G., *see* Hallonsten, A.L.

Lindvall, A.-M., *see* Hallonsten, A.L.
Liver transplants, oral findings in children with, see Hosey, 29
Lowry, L.Y., Welbury, R.R., Seymour, R.A., Waterhouse, P.J., Hamilton, J.R.L. Gingival overgrowth in paediatric patients aged between 2 and 16 years, 217

Malferrari, S., Finger, W.J., Garcia-Godoy, F. Resin bonding efficacy of *Gluma 2000* to dentine of primary teeth: an *in vitro* study, 73
Marathaki, E., Pollard, M.A., Curzon, M.E.J. The effect of sucrose in medicines on plaque pH, 231
Mason, C., Porter, S.R., Mee, A., Carr, C., McEwan, T. The prevalence of clinically significant anaemia and haemoglobinopathy in children requiring dental treatment under general anaesthesia: a retrospective study of 1000 patients, 163
Mason, C., Roberts, G. Unusual distribution of enamel hypoplasia in an 11-year-old child with Proteus syndrome, 103
McEwan, T., *see* Mason, C.
Mee, A., *see* Mason, C.
Mejàre, I., *see* Hallonsten, A.L.
Myiasis, oral: report of two cases, see Al-Ismaily, 177

Nathavitharana, K.A., Tarlow, M.J., Bedi, R., Southwood, T.R. Primary Sjogren's syndrome and rampant dental caries in a 5-year-old child, 173
Nunn, J.H., *see* Waterhouse, P.J.

Øgaard, B., *see* Sønju Clasen, A.B.
Oral-health-related knowledge and behaviour in a group of 15-year-old school-children from Damascus, Syria, see Beiruti, 187
Osorio, R., *see* Toledano, M.
O'Sullivan, E.A., *see* El Magboul, K.M.A.

Pankhurst, C.L., Harrison, V.E., Philpott-Howard, J. Evaluation of contamination of the dentist and dental surgery environment with *Burkholderia (Pseudomonas) cepacia* during treatment of children with cystic fibrosis, 243
Pavey, M.J., *see* Baird, A.D.E.
Pearson, A.I., Willmot, D.R. Combined surgical and orthodontic treatment of bilateral double teeth: a case report, 43
Pegalajar, J., *see* Toledano, M.
Philpott-Howard, J., *see* Pankhurst, C.L.
Pollard, M.A., *see* Marathaki, E.
Porter, S.R., *see* Mason, C.
Poulsen, S., *see* Beiruti, N.
Primrose, S.M., *see* Drucker, D.B.
Proteus syndrome, unusual distribution of enamel hypoplasia in an 11-year-old child with, see Mason, 103

Roberts, G., *see* Mason, C.
Rock, W.P., *see* Hamdan, M.A.
Reid, J.S., *see* Evans, D.J.
Richardson, A., *see* Irwin, R.D.
Rodd, H.D., Blanketstein, R. Iron-deficiency anaemia in young children requiring dental extractions under general anaesthesia, 9

Salivary glands, absence of in children with rampant dental caries: report of seven cases, *see* Gelbier, 253
Salivary microflora and caries experience in 5-year-old children from two ethnic groups, see Drucker, 15
Samson, J., *see* Schatz, J.-P.
Santos, J., *see* Junquera, L.M.
Schatz, J.P., Bernard, J.-P., Byloff, F.K., Samson, J. Conservative surgical and orthodontic management of a child with central giant cell granuloma, 35
Schatz, J.P., Joho, J.P. Development of a computer-assisted textbook of dento-alveolar traumatology, 264
Screw-cover, plastic, embedded in the hard palate of an infant aged 13 months, see Baird, 113
Scully, C., *see* Al-Ismaily, M.
Seymour, R.A., *see* Lowry, L.Y.
Shaw, L. Short root anomaly in a patient with severe short-limbed dwarfism, 249
Shaw, L., *see also* Hosey, M.T.
Short root anomaly in a patient with severe short-limbed dwarfism, see Shaw, 249
Sjogren's syndrome, primary, and rampant dental caries in a 5-year-old child, see Nathavitharana, 173
Sønju, T., *see* Sønju Clasen, A.B.
Sønju Clasen, A.B., Øgaard, B., Sønju, T. A comparison of the anticaries effect on the prim-ary dentition of two dentifrices containing 250 ppm and 1450 ppm fluoride, 3
Southwood, T.R., *see* Nathavitharana, K.A.
Stecksén-Blicks, C., Holm, A.-K. Between-meal eating, tooth-

brushing frequency and dental caries in 4-year-old children in the north of Sweden, 67
Stecksén-Blicks, C., Holm. A.-K. Dental caries, tooth trauma, malocclusion, fluoride usage, toothbrushing and dietary habits in 4-year-old Swedish children: changes between 1967 and 1992, 143
Sucrose in medicines, the effect on plaque pH, see Marathaki, 231
Swedish children, 4-year-old, dental caries, tooth trauma, malocclusion, fluoride usage, toothbrushing and dietary habits in: changes between 1967 and 1992, see Stecksén-Blicks, 143

Tarlow, M.J., *see* Nathavitharanam K.A.
Tayfour, D., *see* Beiruti, N.
Temazepam, oral, for sedation of paediatric dental patients, a clinical trial comparing two doses of, see El Magboul, 97
Toledano, M., Osorio, R., Aguilera, F.S., Pegalajar, J. Children's dental anxiety: influence of personality and intelligence factors, 23
Traumatic dental injuries among 10–12-year-old children in an urban and in a rural area of Jordan, a study comparing the prevalence and distribution of, see Hamdan, 237
Waterhouse, P.J., Nunn, J.H. Crown and root resorption of a maxillary permanent first molar by an impacted second premolar: a case report, 257
Waterhouse, P.J., *see also* Lowry, L.Y.
Welbury, R.R., *see* Lowry, L.Y.
Wendt, L.-K., *see* Hallosten, A.L.
Willmot, D.R., *see* Pearson, A.I.
Winter, G.B., *see* Gelbier, M.J.
Worthington, H.V., *see* Drucker, D.B.